

NANOCOM - TDSENG.APP - TD5 ENGINE input file																	
Engine Speed (rpm)	Road Speed (Km/h)	Idle Speed Error (rpm)	Accel. Way 1 (V)	Accel. Way 2 (V)	Accel. Way 3 (V)	Accel. Supply (V)	Battery (V)	Air Flow (gr/hr)	Ambient Pressure (Kpa)	Manifold Turbo Pressure (Kpa)	Air Inlet Temp. (°C)	Coolant Temp. (°C)	Fuel Temp. (°C)	EGR Inlet (%)	EGR Modulator (%)	Wastegate Modulator(%)	Cylinder 1
0	0	-760	0.565	4.460	4.677	5.010	12.35	4.5	99.87	100.77	34.0	39.2	33.2	0.00	0.00	0.00	0
0	0	-760	0.565	4.465	4.677	5.010	12.39	4.5	99.87	100.77	34.0	39.2	33.2	0.00	0.00	0.00	0
603	0	-149	0.565	4.460	4.677	5.010	13.53	42.5	99.87	100.19	34.2	39.2	33.2	0.00	0.00	0.00	7
594	0	-163	0.565	4.465	4.677	5.010	14.22	42.9	99.87	100.19	34.0	39.2	33.5	0.00	0.00	0.00	-2
617	0	-133	0.565	4.465	4.677	5.010	14.26	45.4	100.00	100.19	33.7	39.2	33.5	0.00	0.00	0.00	-3
662	0	-98	0.565	4.460	4.677	5.010	14.45	50.2	99.87	100.19	33.5	39.2	33.4	0.00	0.00	0.00	-2
675	0	-84	0.565	4.460	4.682	5.015	14.51	50.0	99.87	100.19	33.0	39.2	33.0	0.00	0.00	0.00	3
667	0	-88	0.565	4.465	4.677	5.010	14.42	50.5	99.87	100.19	32.7	39.2	32.7	0.00	0.00	0.00	4
679	0	-74	0.565	4.460	4.677	5.010	14.38	52.2	99.87	100.19	32.5	39.2	32.7	0.00	0.00	0.00	-3
690	0	-66	0.565	4.460	4.677	5.010	14.35	52.2	99.87	100.19	32.2	39.2	32.5	0.00	0.00	0.00	-1
695	0	-74	0.565	4.465	4.677	5.010	14.32	53.0	100.00	100.20	32.0	39.2	32.5	0.00	0.00	0.00	-2
694	0	-68	0.565	4.442	4.677	5.010	14.42	53.0	99.87	100.19	31.7	39.0	32.5	0.00	0.00	0.00	-2
669	0	-133	0.565	4.460	4.677	5.010	14.42	42.9	99.87	100.20	31.3	39.0	32.5	0.00	0.00	0.00	-9
729	0	-12	0.565	4.460	4.677	5.010	14.35	58.5	99.87	100.19	31.2	38.9	32.5	0.00	0.00	0.00	-1
771	0	9	0.565	4.465	4.677	5.010	14.38	57.5	99.87	100.20	31.0	38.7	32.5	0.00	0.00	0.00	0
759	0	-3	0.565	4.465	4.677	5.010	14.38	59.2	99.87	100.19	30.7	38.5	32.5	0.00	0.00	0.00	-4
761	0	2	0.565	4.465	4.677	5.010	14.13	57.9	99.73	100.19	30.5	38.5	32.5	0.00	0.00	0.00	0
758	0	2	0.565	4.460	4.677	5.010	14.45	60.2	100.00	100.20	30.2	38.5	32.5	0.00	0.00	0.00	-3
758	0	-1	0.565	4.465	4.677	5.010	14.35	58.5	99.87	100.20	30.0	38.4	32.5	0.00	0.00	0.00	0
755	0	-10	0.565	4.465	4.677	5.010	14.42	58.9	99.87	99.91	29.8	38.4	32.7	0.00	0.00	0.00	-4
762	0	-1	0.565	4.460	4.677	5.010	14.48	57.2	99.87	100.20	29.7	38.4	32.7	0.00	0.00	0.00	-5
758	0	-2	0.565	4.460	4.677	5.010	14.42	58.4	99.87	100.48	29.5	38.2	32.7	0.00	0.00	0.00	-1
757	0	3	0.565	4.460	4.677	5.010	14.38	58.5	100.00	100.20	29.3	38.2	32.9	0.00	0.00	0.00	-5
754	0	-3	0.565	4.465	4.677	5.010	14.07	58.0	100.00	100.20	29.2	38.2	33.0	0.00	0.00	0.00	-3
758	0	-2	0.565	4.460	4.677	5.010	14.38	59.4	100.00	100.20	29.1	38.2	33.0	0.00	0.00	0.00	-3
761	0	-6	0.565	4.465	4.677	5.010	14.16	58.2	99.87	100.19	29.0	38.2	33.2	0.00	0.00	0.00	-5
0	0	-760	0.565	4.465	4.677	5.010	13.18	5.5	99.87	100.77	28.7	38.2	33.2	0.00	0.00	0.00	-26
0	0	-760	0.565	4.460	4.682	5.010	13.12	5.6	99.87	100.77	28.7	38.2	33.4	0.00	0.00	0.00	-26

