

Engine Speed (rpm)	Road Speed (Km/h)	Idle Speed Error (rpm)	Accel. Way 1 (V)	Accel. Way 2 (V)	Accel. Way 3 (V)	Accel. Supply (V)	Battery (V)	Air Flow (gr/hr)	Ambient Pressure (Kpa)	Manifold Turbo Pressure	Air Inlet Temp. (?)	Coolant Temp. (?)	Fuel Temp. (?)
2803	62	1923	2.655	2.431	2.868	5	14.35	480.3	96.83	212.69	21.5	89.4	68.6
2759	40	1974	2.704	2.381	2.799	5	14.48	472.6	96.97	217.36	19.8	63.2	52
2743	39	1969	2.742	2.346	2.746	5	14.51	468.3	96.7	215.02	20.5	89.4	68.5
2657	38	1831	2.391	2.687	3.216	5	14.38	468.2	97.36	216.77	19.5	87.5	67.1
2712	60	1818	2.773	2.319	2.707	5	14.22	446.5	97.09	215.32	22.1	78.1	54
2618	38	1815	2.742	2.352	2.746	5	14.54	441.6	96.56	217.64	20.5	86.3	58
2470	55	1601	2.687	2.398	2.815	5	14.29	438.1	96.97	219.67	21.2	89.4	68.6
2351	95	1403	2.015	3.051	3.739	5	14.1	271.1	98.15	147.64	25	89.6	68.5
2249	91	1398	1.281	3.766	4.657	5	14.54	270	99.2	170.69	20.5	67.5	52.2
2006	81	1065	2.418	2.671	3.186	5	14.29	268.3	98.68	172.44	26.7	90.4	68
2240	90	1284	2.144	2.931	3.562	5	14.64	267.5	98.94	154.08	23.2	72.9	51.7
2446	99	1499	1.998	3.062	3.763	5	14.35	267.5	97.88	144.16	26.3	89.4	68.3
2468	100	1522	1.885	3.176	3.914	5	14.42	267.5	98.29	141.83	27.2	90	68.1
2397	97	1454	1.95	3.114	3.826	5	14.26	266	98.29	142.97	26.2	89.6	68.1
2233	90	1289	2.117	2.954	3.596	5	14.57	265	98.94	153.47	23.2	72.9	51.7
1722	38	791	1.686	3.375	4.192	5	14.35	154.3	99.33	117.61	21.5	90.6	73
1920	43	1056	0.991	4.045	4.657	5	14.48	154.1	99.33	104.77	21.1	63.5	51.9
1902	59	1063	0.996	4.045	4.657	5	14.48	154.1	99.08	106.25	24.3	79.5	55
1896	42	1071	0.721	4.317	4.657	5	14.35	154.1	99.2	105.37	20.2	89.3	71
1800	40	884	1.589	3.47	4.329	5	14.42	154	99.59	114.41	20.7	89	72.6
1740	38	812	1.616	3.448	4.29	5	14.13	154	99.2	115.29	21.5	90.4	72.8
1749	39	826	1.659	3.403	4.227	5	14.38	153.6	99.47	114.98	20.6	89	74
1916	42	1097	0.716	4.317	4.657	5	14.42	153.5	99.2	105.65	20.3	89.3	71
1786	55	847	1.577	3.477	4.34	5	14.38	153.3	98.55	110.91	20.8	88.8	66.1
1892	77	1057	0.786	4.243	4.657	5	14.54	153.3	99.08	106.52	23.2	90	67
722	7	-10	0.716	4.317	4.657	5	14.32	50.2	99.33	101.58	21	91.1	73.3
738	0	-7	0.716	4.317	4.657	5	14.29	50.2	99.33	101.58	21.2	91.1	73
736	11	-9	0.716	4.317	4.657	5	14.22	50.2	99.47	101.58	21.7	91.1	73.1
790	0	-97	1.302	3.75	4.657	5	14.57	49.9	98.68	102.44	22.2	89.3	59.5
732	23	-72	0.721	4.311	4.657	5	14.35	49	99.47	103.02	18.5	87.5	66.9
727	0	-38	0.921	4.112	4.657	5	14.42	49	99.2	102.73	20.8	89.6	67
781	3	-42	0.721	4.311	4.657	5	14.48	48.7	98.68	101.29	22.2	89	59.5
741	15	-32	0.721	4.311	4.657	5	14.48	48.5	99.33	100.98	21.8	62.5	50.2
805	0	-226	1.454	3.612	4.5	5	14.22	44.7	99.59	102.75	28.7	58.5	49.2

