

|          |     |             |                  |
|----------|-----|-------------|------------------|
| Position | Qty | Designation | Service Part No. |
|----------|-----|-------------|------------------|

ROVER BEARING DESIGNATIONS ORIGINAL EQUIPMENT v ROVER PART No

Landrover 88 and 109 Series II Pick-ups: 1958 to 1962

Landrover 88 and 109 Series IIA Pick-ups: 1962 to 1973

Landrover forward control Pick-up: 1962 to 1973

### Bearings

|          |     |             |                  |
|----------|-----|-------------|------------------|
| Position | Qty | Designation | Service Part No. |
|----------|-----|-------------|------------------|

FRONT AXLE

|             |   |                               |              |
|-------------|---|-------------------------------|--------------|
| Hubs, inner | 2 | [K 359S/K 354X Timken number] | (FAG) 217269 |
|-------------|---|-------------------------------|--------------|

## 359S/354X Timken Timken Imperial Taper Roller Bearings

- [Download information about this product](#)

Imperial taper roller bearing supplied both cup & cone together



| Options          | Price                 | Weight | Add bearing to basket  |
|------------------|-----------------------|--------|--|
| 359S/354X Timken | <b>£56.45</b> ex. VAT | 490g   | Quantity <input type="text" value="1"/> <input type="button" value="Add to Basket"/> |

Delivery Estimate Shipping to  from **£2.59**

### 359S/354X Timken Bearing Details

|                                   |          |
|-----------------------------------|----------|
| Dimensions - d (inside diameter)  | 46.038mm |
| Dimensions - D (outside diameter) | 85.0mm   |
| Dimensions - B (width)            | 20.635mm |

### Other Timken Imperial Taper Roller Bearings similar to 359S/354X Timken

- [A4059/A4138 Timken](#)
- [07100SA/07210X Timken](#)
- [HM804840/HM804810 Timken](#)
- [LM48548L/LM48510 \(LM48500LA\) Timken \\*\\*Sealed Type\\*\\*](#)
- [395A/394A Timken](#)
- [View all Timken Imperial Taper Roller Bearings](#)

Position Qty Designation Service Part No.

Hubs, outer 2 K 11162/K 11300 (FAG) 217270

## 11162/11300 Timken Timken Imperial Taper Roller Bearings

- [Download information about this product](#)

Imperial taper roller bearing priced cup & cone together



| Options            | Price          | Weight | Add bearing to basket                                   |
|--------------------|----------------|--------|---|
| 11162/11300 Timken | £36.00 ex. VAT | 340g   | Quantity 1 <input type="button" value="Add to Basket"/> |

Delivery Estimate Shipping to  from £2.59

### 11162/11300 Timken Bearing Details

|                                   |          |
|-----------------------------------|----------|
| Dimensions - d (inside diameter)  | 41.275mm |
| Dimensions - D (outside diameter) | 76.200mm |
| Dimensions - B (width)            | 18.009mm |

### Other Timken Imperial Taper Roller Bearings similar to 11162/11300 Timken

- [46790/46720 Timken](#)
- [98400/98788 Timken](#)
- [71412/71750 Timken](#)
- [HM518445/HM518410 Timken](#)
- [18690/18620 Timken](#)
- [View all Timken Imperial Taper Roller Bearings](#)

Swivel Pins 2 K 21075/K 21212 ( FAG ) 217268

Half Shafts 2 1/LLRJ 34 9 244150

### Differential

(fwd. control models) 2 K 28580/K 28521 (FAG) 549457

(other models) 2 K2788/K2729 (FAG) 41045

Bevel Pinion (axle suffix 'A')

front 1 K 3490/K 3420 (FAG) 219544

rear 1 K 3193/K 3120 (FAG) 219550

Bevel Pinion (axle suffix 'B')

front 1 KH M 801346X/KHM 801310 ( FAG ) 539706

| Position | Qty | Designation       | Service Part No. |
|----------|-----|-------------------|------------------|
| rear     | 1   | KM 88046/KM 88010 | ( FAG ) 539707   |

**Water Pump**

|                               |   |         |        |
|-------------------------------|---|---------|--------|
| (2 litre petrol)              | 1 | FPS7    | 213695 |
| (2.25 litre petrol & diesels) | 1 | FPS83   | 523354 |
| (2 litre diesel               | 1 | FPS83   | 523354 |
| (some diesels)                | 1 | FPS83   | 247077 |
| (fwd. control models)         | 1 | FPS 153 | 509248 |

| Position | Qty | Designation | Service Part No. |
|----------|-----|-------------|------------------|
|----------|-----|-------------|------------------|

### Dynamo

|                               |   |      |        |
|-------------------------------|---|------|--------|
| (2 litre petrol)              | 1 | 6202 | 242672 |
| (2 litre diesel)              | 1 | 6203 | 260026 |
| (2.25 litre petrol & diesels) | 1 | 6202 | 242672 |

### Governor

|   |           |        |
|---|-----------|--------|
| 1 | LJ 1/2    | 262729 |
| 1 | KLNJ 1/2, | 262728 |

### Gearbox

|                |   |         |           |
|----------------|---|---------|-----------|
| Clutch Release | 1 | 6207/C3 | G R B 203 |
|----------------|---|---------|-----------|

|                    |   |              |       |
|--------------------|---|--------------|-------|
| Const. Mesh Pinion | 1 | 23/ LJ 1 1/2 | 55714 |
|--------------------|---|--------------|-------|

|                  |   |               |       |
|------------------|---|---------------|-------|
| Mainshaft, front | 1 | RA 156 (ND-H) | 06397 |
|------------------|---|---------------|-------|

|                 |   |         |      |
|-----------------|---|---------|------|
| Mainshaft, rear | 1 | 6307/C3 | 1645 |
|-----------------|---|---------|------|

Layshaft, front

|                    |   |            |       |
|--------------------|---|------------|-------|
| (gearbox suffix A) | 1 | MJ 3/4 /C3 | 09962 |
|--------------------|---|------------|-------|

|                     |   |         |        |
|---------------------|---|---------|--------|
| (gearbox suffix B ) | 1 | 6305/C3 | 528701 |
|---------------------|---|---------|--------|

|                |   |               |       |
|----------------|---|---------------|-------|
| Layshaft, rear | 1 | LRJA 7/8 / C3 | 55715 |
|----------------|---|---------------|-------|

### TRANSFER CASE

#### Mainshaft

|                          |   |              |        |
|--------------------------|---|--------------|--------|
| (not centre or rear PTO) | 1 | 93316 (ND-H) | 217478 |
|--------------------------|---|--------------|--------|

|                         |                     |   |                   |        |
|-------------------------|---------------------|---|-------------------|--------|
| Intermediate Gear Shaft | (gearbox suffix A ) | 1 | 94628 ( N D - H ) | 219466 |
|-------------------------|---------------------|---|-------------------|--------|

|                    |   |           |        |
|--------------------|---|-----------|--------|
| (gearbox suffix B) | 1 | S 52-2028 | 521329 |
|--------------------|---|-----------|--------|

|                     |   |                        |        |
|---------------------|---|------------------------|--------|
| Output Shaft, front | 1 | K 14137A/K 14276 (FAG) | 217490 |
|---------------------|---|------------------------|--------|

|                    |   |                       |        |
|--------------------|---|-----------------------|--------|
| Output Shaft, rear | 1 | K 28137/K 28317 (FAG) | 217512 |
|--------------------|---|-----------------------|--------|

|                    |   |             |        |
|--------------------|---|-------------|--------|
| Front output shaft | 1 | LJ 1!/4 /C3 | 217325 |
|--------------------|---|-------------|--------|

### REAR AXLE

|                                      |   |                     |        |
|--------------------------------------|---|---------------------|--------|
| Bevel Pinion (axle suffix 'A') front | 1 | K 31 93/K3120 (FAG) | 219550 |
|--------------------------------------|---|---------------------|--------|

|      |   |                      |        |
|------|---|----------------------|--------|
| rear | 1 | K 3490/K 3420 (FAG ) | 219554 |
|------|---|----------------------|--------|

|                                      |   |                |        |
|--------------------------------------|---|----------------|--------|
| Bevel Pinion (axle suffix 'B') front | 1 | KM 88010 (FAG) | 539707 |
|--------------------------------------|---|----------------|--------|

|      |   |                                  |        |
|------|---|----------------------------------|--------|
| rear | 1 | KH M 801 346X/KH M 801310 ( FAG) | 539706 |
|------|---|----------------------------------|--------|



| Position     | Qty | Designation     | Service Part No.    |
|--------------|-----|-----------------|---------------------|
| Differential | 2   | K 2788/ K 2729  | (FAG) 41045         |
| Hubs, inner  | 2   | K 359S/K 354X   | (FAG) 548221/548220 |
| Hubs, outer  | 2   | K 11162/K 11300 | (FAG) 548223/548222 |

#### POWER TAKE-OFF

|                    |   |                        |              |
|--------------------|---|------------------------|--------------|
| PTO Shaft, front   | 1 | 23/LJ11 /2             | 55714        |
| PTO Shaft. rear    | 1 | LJ1 1/4 /C3            | 217325       |
| Drive Section      | 1 | K 1 985/K 1932         | (FAG) 217504 |
| Mainshaft 1        |   | 93316 ( N D - H )      | 217478       |
| Pulley Pinion      | 1 | K-35175 /K-35326 (SKF) | 217505       |
| Pulley Bevel Wheel | 1 | K 2578/K 2523S ( FAG ) | 217506       |

#### FRONT WINCH

|            |   |       |        |
|------------|---|-------|--------|
| Worm Shaft | 1 | N2897 | 235646 |
| Worm Shaft | 1 | 6204  | 219088 |

#### REAR WINCH

|            |   |                       |        |
|------------|---|-----------------------|--------|
| Worm Shaft | 2 | K-35175/K-35326 (SKF) | 217505 |
|------------|---|-----------------------|--------|

#### Rear Drive Shaft

|                       |   |         |        |
|-----------------------|---|---------|--------|
| Welder Air Compressor | 2 | MJ 11/4 | 235240 |
|-----------------------|---|---------|--------|

#### BROCKHURST TRAILER

|             |   |                   |                       |
|-------------|---|-------------------|-----------------------|
| Hubs, inner | 2 | K 14125A/ K 14274 | (FAG) 548225 / 548224 |
| Hubs outer  | 2 | K 09074/K09196    | (FAG ) 03572          |

#### **Landrover Series III: 1973 and on**

#### FRONT AXLE

|                   |   |   |                               |
|-------------------|---|---|-------------------------------|
| Hubs, inner       | 2 | K 359S/K 354X   | (FAG) 217269 ( GHB 162 )      |
| Hubs, outer       | 2 | K 11162/K 11300                                       | (FAG) 217270                  |
| Swivel Pins       | 2 | K 21 075/K 21212                                      | ( FAG ) 217268                |
| Half Shafts       | 2 | 1/LLRJ 34 9   | 244150 <b>FAG 500437 M SF</b> |
| Differential      | 2 | K2788/2729  | (FAG) 41045                   |
| Hub oil seal Land | 2 | OD 58.82mm ID 46mm depth 11.18mm                      |                               |
| Hub Oil seal      | 2 | RTC3510 59-85-7.9 (ID-OD-DEPTH mm)                    |                               |
| Coreteco          |   | part number 15510065 which is actually a GACO IN21631 |                               |
|                   |   | actual dimensions 57.3-85.35-7.7mm                    |                               |
| Genuine LR        |   | actual dimensions 56.47-85.33-8.25 mm                 |                               |

| Position                   | Qty | Designation                     | Service Part No. |
|----------------------------|-----|---------------------------------|------------------|
| <b><u>Bevel Pinion</u></b> |     |                                 |                  |
| front                      | 1   | KH M 801346X/KHM 801310 ( FAG ) | 539706           |
| rear                       | 1   | KM 88046/KM 88010               | ( FAG )539707    |
| <b><u>Water Pump</u></b>   |     |                                 |                  |
|                            | 1   | 1/FPS 83                        | 523354           |
| Alternator, front          | 1   | 6202/C3                         |                  |
| Alternator, rear           | 1   | 6202 Z/C3                       |                  |
| Clutch Release             | 1   | 4/W 39                          | GRB 223          |

| Position | Qty | Designation | Service Part No. |
|----------|-----|-------------|------------------|
|----------|-----|-------------|------------------|

### Gearbox

|                    |   |   |       |
|--------------------|---|---|-------|
| Const. Mesh Pinion | 1 | 23/ <b><u>LJ 1 1/2</u></b> also RLS12 [RHP] | 55714 |
|--------------------|---|---|-------|

**LJ1-1/2 Imperial Open Deep Groove Ball Bearing 1-1/2x3-1/4x3/4 inch**

**Also Known As: RLS12**

- Inside Diameter: 38.1mm = 1-1/2 inch
- Outside Diameter: 82.55mm = 3-1/4 inch
- Width: 19.05mm = 3/4 inch
- Seals / Shields: None
- Clearance: \* Standard

**From £10.14 ex. VAT**

Add To Cart

✓ in stock

more info



Enlarge View Click Here

|                      |   |           |
|----------------------|---|-----------|
| Input shaft oil seal | 1 | SU600176C |
|----------------------|---|-----------|

Karsons MR750 fits land dia on input pinion 34.88mm dia casing seal fits in 1.99" Possibly item below also fits Fairey Capstan winch in and out.

**1.37x2x0.31 inch Viton Rubber Imperial Double Lip Rotary Shaft Oil Seal with Garter Spring**

**Viton Rubber**

- Inside Diameter: 34.80mm = 1.370 inch
- Outside Diameter: 50.80mm = 2.000 inch
- Width: 7.87mm = 0.310 inch


[Chemical Resistance Table \[Click Here\]](#)

**From £10.64 ex. VAT**

Add To Cart

✓ in stock

more info



Enlarge View Click Here

|                 |   |               |       |
|-----------------|---|---------------|-------|
| Mainshaft Pilot | 1 | RA 156 (ND-H) | 06397 |
|-----------------|---|---------------|-------|

|          |     |             |                  |
|----------|-----|-------------|------------------|
| Position | Qty | Designation | Service Part No. |
|----------|-----|-------------|------------------|

|                |   |         |                 |
|----------------|---|---------|-----------------|
| Mainshaft rear | 1 | 6307 C3 | 1645 [RHP 6307] |
|----------------|---|---------|-----------------|

Main Category: [Vehicle Parts - Bearings](#)

### Bearing - 6307

|  |                                    |
|--|------------------------------------|
| <p><b>Bearing</b></p> <p><b>35mm Bore dia - 80mm od - 21mm o/a wide</b></p> <p><b>6307</b></p> |                                    |
| Internet Ref :   | 12489                              |
| Price  | £5.00 each<br>(£6.00 Inc 20 % VAT) |
| QTY in Stock :   | 1                                  |
| Nato Stock No  | 3110121578485                      |
| Nato Stock No  | 3110999500079                      |



[www.THEXMOD.com](http://www.THEXMOD.com)

Click Image to Enlarge

Image 1

[f Like](#) [0](#) [Send](#)

[Add to Favorites](#)

[Add to Cart](#)



Position Qty Designation Service Part No.

**Bearing - 35mm ID 80mm OD 21W**

**Bearing - 35mm ID 80mm OD 21W**

**6307.EEA50 / B64257**

|                |                                    |
|----------------|------------------------------------|
| Internet Ref : | 10333                              |
| Price          | £4.00 each<br>(£4.80 Inc 20 % VAT) |
| QTY in Stock : | 232                                |
| Nato Stock No  | 3110998082199                      |
| DMC            | 6MT7 <a href="#">List</a>          |
| Oem Part No.   | 6307.EEA50 / B64257                |
| Stock Type     | Ex MoD Army Surplus                |



**www.THEXMOD.com**

Click Image to Enlarge

**Image 1**

Like 0 Send


[Add to Favorites](#) [Add to Cart](#)

*The xmod Ltd, Drummonds Mill, Hawick Scotland, TD9 7BE*

[Privacy Policy](#)

**SKF 6307C3 Open Deep Groove Ball Bearing 35x80x21mm**

**From  
£10.99  
ex. VAT**




- **Inside Diameter: 35mm**
- **Outside Diameter: 80mm**
- **Width: 21mm**
- **Seals / Shields: None**
- **Clearance: C3**

[Add To Cart](#)

**✓ in stock**

[more info](#)



[Enlarge View  
Click Here](#)

Mainshaft rear OIL SEAL 1 W.30019350 R.4 193-300-50 R.236 305

Layshaft front 1 MJ 3/4 /C3 09962 suffix A <

Layshaft Front 1 6305/C3 ITALY B SKF 528701 suffix 'B'>

#### Rear main oil seal dimensions

Brand / Quality: NBR Seal - High Quality  
 Inside Diameter: 49.20mm = 1.937 inch  
 Outside Diameter: 76.20mm = 3 inch  
 Width: 12.70mm = 0.5 inch

Position Qty Designation Service Part No.

Main Category: **Vehicle Parts - Bearings**

**Bearing - 6305 2Z**

**Bearing**

**6305-2Z**



Click Image to Enlarge

|                |                                    |
|----------------|------------------------------------|
| Internet Ref : | 12169                              |
| Price          | £5.00 each<br>(£6.00 Inc 20 % VAT) |
| QTY in Stock : | 2                                  |
| Oem Part No.   | 6305-2Z                            |
| Stock Type     | Ex MoD Army Surplus                |

**Image 1**

Like 0 Send

Add to Favorites

Add to Cart

SKF **6305**C3 Open Deep Groove Ball Bearing 25x62x17mm

**SKF**

The World's  
Leading Manufacturer



From  
£6.32  
ex. VAT

Add To Cart

✓ in stock

more info



Enlarge View  
Click Here

- Inside Diameter: **25mm**
- Outside Diameter: **62mm**
- Width: **17mm**
- Seals / Shields: **None**
- Clearance: **C3**

Layshaft rear 1 CF L7A { SKF } GREAT BRITAIN ATLD LRJA7/8CN [RHP]

Outside diameter 2" -50.7mm

Inner diameter 7/8" -0.875mm

Depth 0.5625"

**TRANSFER GEARS**

Mainshaft, rear 1 93316 +\_ 217478 + 217843

| Position            | Qty | Designation                                | Service Part No. |
|---------------------|-----|--|------------------|
| Intermediate shaft  | 2   | S 52-2028                                  | 521329           |
| Output shaft, front | 1   | P 14137A <b>SKF</b> / K <b>14276</b> (FAG) | 217490           |

Overall depth 20.15mm 0.79" outer 15.93 mm 0.6275" OD 69.1mm 2.72" ID 35.07mm 1.38"

**Major Brand 14138A/14276 Imperial Taper Roller Bearing Cup and Cone Set 1.375x2.717x0.7813 inch**

**Supplied in one of the Worlds Major Brands**

**TIMKEN NTN SNR NKE Koyo NSK/RHP SKF INA FAG**

**From £21.46 ex. VAT**

**Add To Cart**

**✓ in stock**

**more info**

**Enlarge View Click Here**

- **Inside Diameter: 34.93mm = 1.375 inch**
- **Outside Diameter: 69.01mm = 2.717 inch**
- **Width: 19.85mm = 0.7813 inch**

|                    |   |                                     |        |
|--------------------|---|-------------------------------------|--------|
| Output shaft, rear | 1 | K 28317/K <b>28317 Timken</b> (FAG) | 217512 |
|--------------------|---|-------------------------------------|--------|

Depth overall 21.93mm 0.865" depth outer 16mm 0.625" OD 80.05mm 3.1525" ID 35.08mm 1.38"

**Major Brand 28158/28317 Imperial Taper Roller Bearing Cup and Cone Set 1.5748x3.151x0.8438 inch Allow 2-3 Days**

**Supplied in one of the Worlds Major Brands**

**TIMKEN NTN SNR NKE Koyo NSK/RHP SKF INA FAG**

**From £46.37 ex. VAT**

**Add To Cart**


**2-3 Days**

**Enlarge View Click Here**

**Enquire if you need this urgently**

**more info**

- **Inside Diameter: 40.00mm = 1.5748 inch**
- **Outside Diameter: 80.04mm = 3.151 inch**
- **Width: 21.43mm = 0.8438 inch**
- **Seals / Shields: None**

|                       |   |  |         |
|-----------------------|---|--|---------|
| Output shaft oil seal | 1 | 250-161-16-4B  <b>doubt this data</b> |         |
| Front Output Shaft    | 1 | LJ 1 1/4 /C3 RLS10 now   | 21 7325 |

Position Qty Designation Service Part No.

**Major Brand LJ1-1/4C3 Imperial Open Deep Groove Ball Bearing 1-1/4x2-3/4x11/16 inch**



**From  
£23.72  
ex. VAT**

**Add To Cart**

**✓ in stock**



**Enlarge View  
Click Here**

**Also Known As: RLS10C3**

- **Inside Diameter: 31.75mm = 1-1/4 inch**
- **Outside Diameter: 69.85mm = 2-3/4 inch**
- **Width: 17.46mm = 11/16 inch**
- **Seals / Shields: None**
- **Clearance: C3**

**more info**

### **REAR AXLE (88 inch wheelbase)**

|                     |   |                         |               |
|---------------------|---|-------------------------|---------------|
| Bevel Pinion, front | 1 | KM88046/KM 88010        | (FAG) 539707  |
| Bevel Pinion rear   | 1 | KHM 801346X/KH M 801310 | (FAG) 539706  |
| Differential        | 2 | K 2788/K 2729           | (FAG) 41045   |
| Hubs, inner         | 2 | K359S/K354X             | (FAG) GHB 162 |
| Hubs, outer         | 2 | K 11162/K 11300         | (FAG) 217270  |

### **REAR AXLE (109 inch wheelbase)**

|                     |   |                        |               |
|---------------------|---|------------------------|---------------|
| Bevel Pinion, front | 1 |                        | 607181        |
| Bevel Pinion, rear  | 1 | KHM 803146/KH M 803110 | (FAG) 607180  |
| Differential        | 2 |                        | 607187        |
| Hubs, inner         | 2 | K359S/K354X            | (FAG) GHB 162 |
| Hubs, outer         | 2 | K 111 62/K 11 300      | (FAG) 217270  |

Suffix B onwards

For the reverse gear roller I have measured the shaft diameter, the gear inner diameter and the cage length.

The dimensions are

Shaft diameter (bearing inner diameter) 25.00mm  
Gear inner (bearing outer diameter) 33.02mm  
cage length 23.57mm

So, am I measuring this right?

The nearest I can find is

Position Qty Designation Service Part No.

K25x33x24 which has the cage 0.43mm longer

[http://simplybearing...rch\\_result.php?categories\\_id=30&1\\_10=8095\\_1&21\\_210=8095\\_21&22\\_220=8095\\_22&23\\_230=8095\\_23&extra\\_field\\_filter=1&x=23&y=10](http://simplybearing...rch_result.php?categories_id=30&1_10=8095_1&21_210=8095_21&22_220=8095_22&23_230=8095_23&extra_field_filter=1&x=23&y=10)

- 
- Settled In
- • •
- 93 posts

Posted 14 November 2011 - 09:18 PM

Don't know about the RGS. Have had good branded bearings and quick service here.

<http://stores.ebay.c...op4autopartsnet>

Guy usually gets back to you regarding P/N and what bearings he can get you. I bought NTK and Timken from him mostly. Reasonable money and he trounced my local BSL by a long way on price, like for like.

**Steering box output shaft oil seal**

From measuring the old solid O ring it seems that it is 1" nominal bore, 1/8" section and 1 1/4" OD.

**MIS112 axle casing oil seal - cross reference**

**SKF CR17386 Single Lip Nitrile Rotary Shaft Seal**

1.75x2.502x0.313 inch

Brand logo free shipping for any order in the United Kingdom

This products has an average review rating of 5 starsAverage Rating (1 Reviews)

**SKF CR17386 Single Lip Nitrile Rotary Shaft Seal**

1.75x2.502x0.313 inch

Chemical Resistance Table [Click Here]

**SKF CRW1 Nitrile Oil Seals:** These radial shaft seals have Wavesal lip design to reduce friction and heat generation. The seals have a single steel shell to simplify installation

and [show more]...

Learn More

£9.40 ex VAT

This item is available from stock

Brand / Quality: SKF - High Quality

**Speedi sleeve for hand brake flange is CR99162 1.622-1.628 inch**

<http://www.bearingshopuk.co.uk/skf-cr99162-speedi-sleeve/>

Fit Shaft: 41mm

Nominal Shaft Size: 41.2 - 41.35mm

Length: 20.65mm