

Position	Qty	Designation	Service Part No.
----------	-----	-------------	------------------

ROVER BEARING DESIGNATIONS ORIGINAL EQUIPMENT v ROVER PART No

Landrover 88 and 109 Series II Pick-ups: 1958 to 1962

Landrover 88 and 109 Series IIA Pick-ups: 1962 to 1973

Landrover forward control Pick-up: 1962 to 1973

Bearings

Position	Qty	Designation	Service Part No.
----------	-----	-------------	------------------

FRONT AXLE

Hubs, inner	2	[K 359S/K 354X Timken number]	(FAG) 217269
-------------	---	-------------------------------	--------------

359S/354X Timken Timken Imperial Taper Roller Bearings

- [Download information about this product](#)

Imperial taper roller bearing supplied both cup & cone together



Options	Price	Weight	Add bearing to basket
359S/354X Timken	£56.45 ex. VAT	490g	Quantity <input type="text" value="1"/> <input type="button" value="Add to Basket"/>

Delivery Estimate Shipping to from **£2.59**

359S/354X Timken Bearing Details

Dimensions - d (inside diameter)	46.038mm
Dimensions - D (outside diameter)	85.0mm
Dimensions - B (width)	20.635mm

Other Timken Imperial Taper Roller Bearings similar to 359S/354X Timken

- [A4059/A4138 Timken](#)
- [07100SA/07210X Timken](#)
- [HM804840/HM804810 Timken](#)
- [LM48548L/LM48510 \(LM48500LA\) Timken **Sealed Type**](#)
- [395A/394A Timken](#)
- [View all Timken Imperial Taper Roller Bearings](#)

Position	Qty	Designation	Service Part No.
----------	-----	-------------	------------------

Hubs, outer	2	K 11162/K 11300	(FAG) 217270
-------------	---	-----------------	--------------

11162/11300 Timken Timken Imperial Taper Roller Bearings

- [Download information about this product](#)

Imperial taper roller bearing priced cup & cone together



Options	Price	Weight	Add bearing to basket
11162/11300 Timken	£36.00 ex. VAT	340g	Quantity <input type="text" value="1"/> <input type="button" value="Add to Basket"/>

Delivery Estimate Shipping to from £2.59

11162/11300 Timken Bearing Details

Dimensions - d (inside diameter)	41.275mm
Dimensions - D (outside diameter)	76.200mm
Dimensions - B (width)	18.009mm

Other Timken Imperial Taper Roller Bearings similar to 11162/11300 Timken

- [46790/46720 Timken](#)
- [98400/98788 Timken](#)
- [71412/71750 Timken](#)
- [HM518445/HM518410 Timken](#)
- [18690/18620 Timken](#)
- [View all Timken Imperial Taper Roller Bearings](#)

Swivel Pins	2	K 21075/K 21212	(FAG)	217268
-------------	---	-----------------	---------	--------

Half Shafts	2	1/LLRJ 34 9		244150
-------------	---	-------------	--	--------

Differential

(fwd. control models)	2	K 28580/K 28521	(FAG)	549457
-----------------------	---	-----------------	-------	--------

(other models)	2	K2788/K2729	(FAG)	41045
----------------	---	-------------	-------	-------

Bevel Pinion (axle suffix 'A')

front	1	K 3490/K 3420	(FAG)	219544
-------	---	---------------	-------	--------

rear	1	K 3193/K 3120	(FAG)	219550
------	---	---------------	-------	--------

Bevel Pinion (axle suffix 'B')

front	1	KH M 801346X/KHM 801310	(FAG)	539706
-------	---	-------------------------	---------	--------

Position	Qty	Designation	Service Part No.
rear	1	KM 88046/KM 88010	(FAG) 539707

Water Pump

(2 litre petrol)	1	FPS7	213695
(2.25 litre petrol & diesels)	1	FPS83	523354
(2 litre diesel	1	FPS83	523354
(some diesels)	1	FPS83	247077
(fwd. control models)	1	FPS 153	509248

Position	Qty	Designation	Service Part No.
----------	-----	-------------	------------------

Dynamo

(2 litre petrol)	1	6202	242672
(2 litre diesel)	1	6203	260026
(2.25 litre petrol & diesels)	1	6202	242672

Governor

1	LJ 1/2	262729
1	KLNJ 1/2,	262728

Gearbox

Clutch Release	1	6207/C3	G R B 203
----------------	---	---------	-----------

Const. Mesh Pinion	1	23/ LJ 1 1/2	55714
--------------------	---	--------------	-------

Mainshaft, front	1	RA 156 (ND-H)	06397
------------------	---	---------------	-------

Mainshaft, rear	1	6307/C3	1645
-----------------	---	---------	------

Layshaft, front

(gearbox suffix A)	1	MJ 3/4 /C3	09962
--------------------	---	------------	-------

(gearbox suffix B)	1	6305/C3	528701
---------------------	---	---------	--------

Layshaft, rear	1	LRJA 7/8 / C3	55715
----------------	---	---------------	-------

TRANSFER CASE

Mainshaft

(not centre or rear PTO)	1	93316 (ND-H)	217478
--------------------------	---	--------------	--------

Intermediate Gear Shaft	(gearbox suffix A)	1	94628 (N D - H)	219466
-------------------------	---------------------	---	-------------------	--------

(gearbox suffix B)	1	S 52-2028	521329
--------------------	---	-----------	--------

Output Shaft, front	1	K 14137A/K 14276 (FAG)	217490
---------------------	---	------------------------	--------

Output Shaft, rear	1	K 28137/K 28317 (FAG)	217512
--------------------	---	-----------------------	--------

Front output shaft	1	LJ 1!/4 /C3	217325
--------------------	---	-------------	--------

REAR AXLE

Bevel Pinion (axle suffix 'A') front	1	K 31 93/K3120 (FAG)	219550
--------------------------------------	---	---------------------	--------

rear	1	K 3490/K 3420 (FAG)	219554
------	---	----------------------	--------

Bevel Pinion (axle suffix 'B') front	1	KM 88010 (FAG)	539707
--------------------------------------	---	----------------	--------

rear	1	KH M 801 346X/KH M 801310 (FAG)	539706
------	---	----------------------------------	--------



Position	Qty	Designation	Service Part No.
DIFF OIL SEAL 2.75" x 1.75"x 5/8 drive flange diameter 1.75" 1/2 length			

Differential	2	K 2788/ K 2729	(FAG) 41045
--------------	---	----------------	-------------

Hubs, inner	2	K 359S/K 354X	(FAG) 548221/548220
-------------	---	---------------	---------------------

Hubs, outer	2	K 11162/K 11300	(FAG) 548223/548222
-------------	---	-----------------	---------------------

POWER TAKE-OFF

PTO Shaft, front	1	23/LJ11 /2	55714
------------------	---	------------	-------

PTO Shaft. rear	1	LJ1 1/4 /C3	217325
-----------------	---	-------------	--------

Drive Section	1	K 1 985/K 1932	(FAG) 217504
---------------	---	----------------	--------------

Mainshaft 1	93316 (N D - H)		217478
-------------	-------------------	--	--------

Pulley Pinion	1	K-35175 /K-35326 (SKF)	217505
---------------	---	------------------------	--------

Pulley Bevel Wheel	1	K 2578/K 2523S (FAG)	217506
--------------------	---	------------------------	--------

FRONT WINCH

Worm Shaft	1	N2897	235646
------------	---	-------	--------

Worm Shaft	1	6204	219088
------------	---	------	--------

REAR WINCH

Worm Shaft	2	K-35175/K-35326 (SKF)	217505
------------	---	-----------------------	--------

Rear Drive Shaft

Welder Air Compressor	2	MJ 11/4	235240
-----------------------	---	---------	--------

BROCKHURST TRAILER

Hubs, inner	2	K 14125A/ K 14274	(FAG) 548225 / 548224
-------------	---	-------------------	-----------------------

Hubs outer	2	K 09074/K09196	(FAG) 03572
------------	---	----------------	--------------

Landrover Series III: 1973 and on

FRONT AXLE

Hubs, inner	2	K 359S/K 354X	(FAG) 217269 (GHB 162)
-------------	---	---------------	--------------------------

Hubs, outer	2	K 11162/K 11300	(FAG) 217270
-------------	---	-----------------	--------------

Swivel Pins	2	K 21 075/K 21212	(FAG) 217268
-------------	---	------------------	----------------

Half Shafts	2	1/LLRJ 34 9	244150 FAG 500437 M SF
-------------	---	-------------	-------------------------------

Differential	2	K2788/2729	(FAG) 41045
--------------	---	------------	-------------

Hub oil seal Land	2	OD 58.82mm ID 46mm depth 11.18mm	
-------------------	---	----------------------------------	--

Hub Oil seal	2	RTC3510 59-85-7.9 (ID-OD-DEPTH mm)	
Coreteco		part number 15510065 which is actually a GACO IN21631	
		actual dimensions 57.3-85.35-7.7mm	

Genuine LR		actual dimensions 56.47-85.33-8.25 mm	
------------	--	---------------------------------------	--

Position	Qty	Designation	Service Part No.
<u>Bevel Pinion</u>			
front	1	KH M 801346X/KHM 801310 (FAG)	539706
rear	1	KM 88046/KM 88010	(FAG)539707
<u>Water Pump</u>			
	1	1/FPS 83	523354
Alternator, front	1	6202/C3	
Alternator, rear	1	6202 Z/C3	
Clutch Release	1	4/W 39 GRB 223	

Position	Qty	Designation	Service Part No.
----------	-----	-------------	------------------

Gearbox

Const. Mesh Pinion	1	23/ <u>LJ 1 1/2</u> also RLS12 [RHP]	55714
--------------------	---	---	-------

LJ1-1/2 Imperial Open Deep Groove Ball Bearing 1-1/2x3-1/4x3/4 inch

Also Known As: RLS12

- Inside Diameter: 38.1mm = 1-1/2 inch
- Outside Diameter: 82.55mm = 3-1/4 inch
- Width: 19.05mm = 3/4 inch
- Seals / Shields: None
- Clearance: * Standard

From £10.14 ex. VAT

Add To Cart

✓ in stock

more info



Enlarge View
Click Here

Input shaft oil seal	1	SU600176C
----------------------	---	-----------

Karsons MR750 fits land dia on input pinion 34.88mm dia casing seal fits in 1.99" Possibly item below also fits Fairey Capstan winch in and out.

1.37x2x0.31 inch Viton Rubber Imperial Double Lip Rotary Shaft Oil Seal with Garter Spring

Viton Rubber

- Inside Diameter: 34.80mm = 1.370 inch
- Outside Diameter: 50.80mm = 2.000 inch
- Width: 7.87mm = 0.310 inch


Chemical Resistance Table [Click Here]

From £10.64 ex. VAT

Add To Cart

✓ in stock

more info



Enlarge View
Click Here

Mainshaft Pilot	1	RA 156 (ND-H)	06397
-----------------	---	---------------	-------

Main shaft rear carrier on transfer case

Version 1	Series 2 & 3		Part number
Roller bearing	93316 (ND-H)		217478
Outer for roller bearing			90217843
Version 2 Optional Series 3 & 1 ton			
Roller bearing			521853
Outer for roller bearing			521855

Position	Qty	Designation	Service Part No.
----------	-----	-------------	------------------

Mainshaft rear	1	6307 C3	1645 [RHP 6307]
----------------	---	---------	-----------------

Main Category: [Vehicle Parts - Bearings](#)

Bearing - 6307

<p>Bearing</p> <p>35mm Bore dia - 80mm od - 21mm o/a wide</p> <p>6307</p>	
Internet Ref :	12489
Price	£5.00 each (£6.00 Inc 20 % VAT)
QTY in Stock :	1
Nato Stock No	3110121578485
Nato Stock No	3110999500079



www.THEXMOD.com

Click Image to Enlarge

Image 1

[f Like](#) [0](#) [Send](#)

[Add to Favorites](#)

[Add to Cart](#)

Position Qty Designation Service Part No.

Bearing - 35mm ID 80mm OD 21W

Bearing - 35mm ID 80mm OD 21W

6307.EEA50 / B64257

Internet Ref :	10333
Price	£4.00 each (£4.80 Inc 20 % VAT)
QTY in Stock :	232
Nato Stock No	3110998082199
DMC	6MT7 List
Oem Part No.	6307.EEA50 / B64257
Stock Type	Ex MoD Army Surplus



www.THEXMOD.com

Click Image to Enlarge

Image 1

Like 0 Send


[Add to Favorites](#) [Add to Cart](#)

The xmod Ltd, Drummonds Mill, Hawick Scotland, TD9 7BE

[Privacy Policy](#)

SKF 6307C3 Open Deep Groove Ball Bearing 35x80x21mm

**From
£10.99
ex. VAT**




- **Inside Diameter: 35mm**
- **Outside Diameter: 80mm**
- **Width: 21mm**
- **Seals / Shields: None**
- **Clearance: C3**

[Add To Cart](#)

✓ in stock

[more info](#)



[Enlarge View
Click Here](#)

Mainshaft rear OIL SEAL 1 W.30019350 R.4 193-300-50 R.236 305

Layshaft front 1 MJ 3/4 /C3 09962 suffix A <

Layshaft Front 1 6305/C3 ITALY B SKF 528701 suffix 'B'>

Rear main oil seal dimensions

Brand / Quality: NBR Seal - High Quality
 Inside Diameter: 49.20mm = 1.937 inch
 Outside Diameter: 76.20mm = 3 inch
 Width: 12.70mm = 0.5 inch

Position Qty Designation Service Part No.

Main Category: **Vehicle Parts - Bearings**

Bearing - 6305 2Z

Bearing

6305-2Z



Click Image to Enlarge

Internet Ref :	12169
Price	£5.00 each (£6.00 Inc 20 % VAT)
QTY in Stock :	2
Oem Part No.	6305-2Z
Stock Type	Ex MoD Army Surplus

Image 1

Like 0 Send

Add to Favorites

Add to Cart

SKF **6305**C3 Open Deep Groove Ball Bearing 25x62x17mm

SKF

The World's
Leading Manufacturer



From
£6.32
ex. VAT

Add To Cart

✓ in stock

more info



Enlarge View
Click Here

- Inside Diameter: **25mm**
- Outside Diameter: **62mm**
- Width: **17mm**
- Seals / Shields: **None**
- Clearance: **C3**

Layshaft rear 1 CF L7A { SKF } GREAT BRITAIN ATLD LRJA7/8CN [RHP]

Outside diameter 2" -50.7mm

Inner diameter 7/8" -0.875mm

Depth 0.5625"

TRANSFER GEARS

Mainshaft, rear 1 93316 +_ 217478 + 217843

Position	Qty	Designation	Service Part No.
Intermediate shaft	2	S 52-2028	521329
Output shaft, front	1	P 14137A SKF / K 14276 (FAG)	217490

Overall depth 20.15mm 0.79" outer 15.93 mm 0.6275" OD 69.1mm 2.72" ID 35.07mm 1.38"

Major Brand 14138A/14276 Imperial Taper Roller Bearing Cup and Cone Set 1.375x2.717x0.7813 inch

Supplied in one of the Worlds Major Brands

TIMKEN NTN SNR NKE Koyo NSK/RHP SKF INA FAG

From £21.46 ex. VAT

Add To Cart

in stock

more info

Enlarge View Click Here

- **Inside Diameter: 34.93mm = 1.375 inch**
- **Outside Diameter: 69.01mm = 2.717 inch**
- **Width: 19.85mm = 0.7813 inch**

Output shaft, rear	1	K 28317/K 28317 Timken (FAG)	217512
--------------------	---	-------------------------------------	--------

Depth overall 21.93mm 0.865" depth outer 16mm 0.625" OD 80.05mm 3.1525" ID 35.08mm 1.38"

Major Brand 28158/28317 Imperial Taper Roller Bearing Cup and Cone Set 1.5748x3.151x0.8438 inch Allow 2-3 Days

Supplied in one of the Worlds Major Brands

TIMKEN NTN SNR NKE Koyo NSK/RHP SKF INA FAG

From £46.37 ex. VAT

Add To Cart


2-3 Days

Enquire if you need this urgently

more info

Enlarge View Click Here

- **Inside Diameter: 40.00mm = 1.5748 inch**
- **Outside Diameter: 80.04mm = 3.151 inch**
- **Width: 21.43mm = 0.8438 inch**
- **Seals / Shields: None**

Output shaft oil seal	1	250-161-16-4B  doubt this data	
Front Output Shaft	1	LJ 1 1/4 /C3 RLS10 now	21 7325

Position Qty Designation Service Part No.

Major Brand LJ1-1/4C3 Imperial Open Deep Groove Ball Bearing 1-1/4x2-3/4x11/16 inch

From £23.72 ex. VAT

Add To Cart

in stock

more info

Enlarge View Click Here

Also Known As: RLS10C3

- **Inside Diameter: 31.75mm = 1-1/4 inch**
- **Outside Diameter: 69.85mm = 2-3/4 inch**
- **Width: 17.46mm = 11/16 inch**
- **Seals / Shields: None**
- **Clearance: C3**

REAR AXLE (88 inch wheelbase)

Hub seal info

Bevel Pinion, front	1	KM88046/KM 88010	(FAG) 539707
Bevel Pinion rear	1	KHM 801346X/KH M 801310	(FAG) 539706
Differential	2	K 2788/K 2729	(FAG) 41045
Hubs, inner	2	K359S/K354X	(FAG) GHB 162
Hubs, outer	2	K 11162/K 11300	(FAG) 217270

REAR AXLE (109 inch wheelbase)

Bevel Pinion, front	1		607181
Bevel Pinion, rear	1	KHM 803146/KH M 803110	(FAG) 607180
Differential	2		607187
Hubs, inner	2	K359S/K354X	(FAG) GHB 162
Hubs, outer	2	K 111 62/K 11 300	(FAG) 217270

Suffix B onwards

For the reverse gear roller I have measured the shaft diameter, the gear inner diameter and the cage length.

The dimensions are

Shaft diameter (bearing inner diameter) 25.00mm
 Gear inner (bearing outer diameter) 33.02mm
 cage length 23.57mm

So, am I measuring this right?

The nearest I can find is

Position Qty Designation Service Part No.

K25x33x24 which has the cage 0.43mm longer

http://simplybearing...rch_result.php?categories_id=30&1_10=8095_1&21_210=8095_21&22_220=8095_22&23_230=8095_23&extra_field_filter=1&x=23&y=10

-
- Settled In
- • •
- 93 posts

Posted 14 November 2011 - 09:18 PM

Don't know about the RGS. Have had good branded bearings and quick service here.

<http://stores.ebay.c...op4autopartsnet>

Guy usually gets back to you regarding P/N and what bearings he can get you. I bought NTK and Timken from him mostly. Reasonable money and he trounced my local BSL by a long way on price, like for like.

Steering box output shaft oil seal

From measuring the old solid O ring it seems that it is 1" nominal bore, 1/8" section and 1 1/4" OD.

MIS112 axle casing oil seal - cross reference

SKF CR17386 Single Lip Nitrile Rotary Shaft Seal

1.75x2.502x0.313 inch

Brand logo free shipping for any order in the United Kingdom

This products has an average review rating of 5 starsAverage Rating (1 Reviews)

SKF CR17386 Single Lip Nitrile Rotary Shaft Seal

1.75x2.502x0.313 inch

Chemical Resistance Table [Click Here]

SKF CRW1 Nitrile Oil Seals: These radial shaft seals have Wavesal lip design to reduce friction and heat generation. The seals have a single steel shell to simplify installation

and [show more]...

Learn More

£9.40 ex VAT

This item is available from stock

Brand / Quality: SKF - High Quality

Speedi sleeve for hand brake flange is CR99162 1.622-1.628 inch

<http://www.bearingshopuk.co.uk/skf-cr99162-speedi-sleeve/>

Fit Shaft: 41mm

Nominal Shaft Size: 41.2 - 41.35mm

Length: 20.65mm